



10/779,800.

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: Kenneth W. Marr et al.

Examiner: Nguyen, Tan

Patent No.: 7,126,871

Group Art Unit: 2827

Issue Date: October 24, 2006

Docket No: 303.819US2

Title: CIRCUITS AND METHODS TO PROTECT A GATE DIELECTRIC ANTIFUSE

Commissioner for Patents

P.O. Box 1450

Alexandria, VA 22313-1450

ATTN: CERTIFICATE OF CORRECTION BRANCH

Certificate
DEC 20 2006
of Correction

We are transmitting herewith the attached:

- ☒ A check in the amount of \$100.00 to cover the Certificate of Correction fee.
- ☒ Request for Certificate of Correction.
- ☒ Certificate of Correction Form - PTO-1050 (in duplicate)
- ☒ A return postcard.

Please charge any additional fees or credit overpayment to Deposit Account No. 19-0743.

SCHWEGMAN, LUNDBERG, WOESSNER & KLUTH, P.A.

Customer No: 21186

By:

Name: Timothy B. Clise

Reg. No.40,957

TBC/cmb

CERTIFICATE UNDER 37 CFR 1.8: The undersigned hereby certifies that this correspondence is being deposited with the United States Postal Service with sufficient postage as first class mail, in an envelope addressed to: Commissioner of Patents and Trademarks, P.O. Box 1450, Alexandria VA 22313-1450, on this 13 day of December 2006.

CHRISTOPHER BARRIV

Name

Signature

DEC 22 2006



Patent 7,126,871

PATENT

IN UNITED STATES PATENT AND TRADEMARK OFFICE

Patent No.: 7,126,871

Docket No: 303.819US2

Issue Date: October 24, 2006

Patentee: Kenneth W. Marr et al.

Customer No.: 21186

Confirmation No.: 1479

Title CIRCUITS AND METHODS TO PROTECT A GATE DIELECTRIC
 ANTIFUSE

REQUEST FOR CERTIFICATE OF CORRECTION

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450
ATTN: CERTIFICATE OF CORRECTION BRANCH

It is requested that a Certificate of Correction be issued correcting printing errors appearing in the above-identified United States patent. Two copies of the text of the Certificate in the suggested form are enclosed.

Pursuant to 1.20(a), enclosed please find a check in the amount of \$100.00.

Issuance of the Certificate of Correction would neither expand nor contract the scope of the claims as properly allowed, and re-examination is not required.

The Examiner is authorized to charge any additional fees or credit overpayment to Deposit Account No.19-0743.

Respectfully Submitted

KENNETH W. MARR ET AL.

By their Representatives,

SCHWEGMAN, LUNDBERG, WOESSNER & KLUTH, P.A.
P.O. Box 2938
Minneapolis, MN 55402
(612) 373-6900

Date:

12 Dec '06

By:

Timothy B. Clise
Timothy B. Clise
Reg. No: 40,957
TBC/cmb

CERTIFICATE UNDER 37 CFR § 1.8: The undersigned hereby certifies that this correspondence is being deposited with the United States Postal Service with sufficient postage as first class mail, in an envelope addressed to: Commissioner for Patents, P.O. Box 1450 Alexandria, VA 22313-1450, on this 13 day of December 2006

CHRISTOPHER BARR
Name

CR
Signature

DEC 22 2006

12/19/2006 BABRAHA1 00000035 7126871

01 FC:1811

100.00 OP

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.
(Also Form PTO-1050)

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO : 7,126,871

Page (1) of 1

DATED : October 24, 2006

INVENTOR(S) : Marr et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In column 1, line 60, delete "tip" and insert - - up - -, therefor.

In column 3, line 62, delete "horizonal" and insert - - horizontal - -, therefor.

In column 9, line 40, delete "to" and insert - - to - -, therefor.

In column 9, line 59, delete "anti fuse" and insert - - antifuse - -, therefor.

In column 22, line 17, in Claim 16, delete "titanium" and insert - - titanium - -, therefor.

MAILING ADDRESS OF SENDER:

SCHWEGMAN, LUNDBERG, WOESSNER, & KLUTH, P.A.
P.O. BOX 2938
Minneapolis, MN 55402

Atty Docket No: 303.819US2

PATENT NO. 7,126,871

No. of additional copies

 _____

OCT 24 2006

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.
(Also Form PTO-1050)

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO : 7,126,871

Page (1) of 1

DATED : October 24, 2006

INVENTOR(S) : Marr et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In column 1, line 60, delete "tip" and insert - - up - -, therefor.

In column 3, line 62, delete "horizonal" and insert - - horizontal - -, therefor.

In column 9, line 40, delete "to" and insert - - t_0 - -, therefor.

In column 9, line 59, delete "anti fuse" and insert - - antifuse - -, therefor.

In column 22, line 17, in Claim 16, delete "titanium" and insert - - titanium - -, therefor.

MAILING ADDRESS OF SENDER:

SCHWEGMAN, LUNDBERG, WOESSNER, & KLUTH, P.A.
P.O. BOX 2938
Minneapolis, MN 55402

Atty Docket No: 303.819US2

PATENT NO. 7,126,871

No. of additional copies



DEC 22 2006